ELSEVIER

Neuroscience Letters 331 (2002) 218–220

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 331

Volume 331, no. 1

Guidelines for the submission of manuscripts v

Time–frequency distribution of neuronal activity in the gerbil inferior colliculus responding to auditory stimuli
K. Maki, H. Riquimaroux (Japan) 1

Influence of a deletion of protein kinase Cγ isoform in the G-protein activation mediated through opioid receptor-like-1 and μ-opioid receptors in the mouse pons/medulla
M. Narita, H. Mizoguchi, J. Khotib, M. Suzuki, S. Ozaki, Y. Yajima, M. Narita, L.F. Tseng, T. Suzuki (Japan, USA) 5

Corticosterone differentially regulates *bax*, *bcl-2* and *bcl-x* mRNA levels in the rat hippocampus
S.P. Cárdenas, C. Parra, J. Bravo, P. Morales, H.E. Lara, M. Herrera-Marschitz, J.L. Fiedler (Chile) 9

Relationship between the activation of cyclic AMP responsive element binding protein and ischemic tolerance in the penumbra region of rat cerebral cortex
T. Nakajima, S. Iwabuchi, H. Miyazaki, Y. Okuma, O. Inanami, M. Kuwabara, Y. Nomura, K. Kawahara (Japan) 13

The caudal periaqueductal gray participates in the activation of brown adipose tissue in rats
X.-M. Chen, M. Nishi, A. Taniguchi, K. Nagashima, M. Shibata, K. Kanosue (Japan) 17

Statistical coassembly of glycine receptor α1 wildtype and the hyperekplexia mutant α1(P250T) in HEK 293 cells: impaired channel function is not dominant in the recombinant system
H.-G. Breitinger, C.-M. Becker (Germany) 21

Effects of aminoguanidine on cerebral ischemia in mice: comparison between mice with and without inducible nitric oxide synthase gene
K. Sugimoto, C. Iadecola (USA) 25

Beta electroencephalograph changes during passive movements: sensory afferences contribute to beta event-related desynchronization in humans
M. Alegre, A. Labarga, I.G. Gurtubay, J. Iriarte, A. Malanda, J. Artieda (Spain) 29

Effect of 3-[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats
A.J. Xu, Z. Chen, K. Yanai, Y.W. Huang, E.Q. Wei (People's Republic of China, Japan) 33

Morphology of physiologically identified otolith-related vestibular neurons in cats
H. Meng, H. Sato, M. Imagawa, M. Zakir, S. Ono, K. Kushiro, X. Zhang, R. Bai, Y. Uchino (Japan) 37

Early enucleation does not alter the gross morphology of identified projection neurons in the chicken optic tectum
H. Luksch, A. Poll (Germany) 41

Distinguishing visuospatial working memory and complex mental calculation areas within the parietal lobes
L. Zago, N. Tzourio-Mazoyer (France) 45

Somatotopic mapping of the human primary sensorimotor cortex during motor imagery and motor execution by functional magnetic resonance imaging
C. Stippich, H. Ochmann, K. Sartor (Germany) 50

Betanodavirus as a novel transneuronal tracer for fish
T. Ikenaga, Y. Tatecho, T. Nakai, K. Uematsu (Japan) 55

Possible association between genetic variability at the apolipoprotein(a) locus and Alzheimer's disease in apolipoprotein E2 carriers
D. Compton, F. Wavrant DeVriéze, R.C. Petersen, E. Tangalos, L. Li, J. Hardy (USA, UK) 60

Decreased level of kynurenic acid in cerebrospinal fluid of relapsing-onset multiple sclerosis patients
K. Rejdak, H. Bartosik-Psujek, B. Dobosz, T. Kocki, P. Grieb, G. Giovannoni, W.A. Turski, Z. Stelmasiak (Poland, UK) 63

No reduction with ageing of the number of myenteric neurons in benzalkonium chloride treated rats
S.B. Garcia, M.M.P. Demarzo, W.S. Vinhadeli, M.A. Llorach-Velludo, J. Zoteli, C.F.P.S. Herrero, S. Zucoloto (Brazil) 66

Erratum 69

ELSEVIER

Neuroscience Letters 331 (2002) 218–220

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 331

Volume 331, no. 1

Guidelines for the submission of manuscripts v

Time–frequency distribution of neuronal activity in the gerbil inferior colliculus responding to auditory stimuli
K. Maki, H. Riquimaroux (Japan) 1

Influence of a deletion of protein kinase Cγ isoform in the G-protein activation mediated through opioid receptor-like-1 and μ-opioid receptors in the mouse pons/medulla
M. Narita, H. Mizoguchi, J. Khotib, M. Suzuki, S. Ozaki, Y. Yajima, M. Narita, L.F. Tseng, T. Suzuki (Japan, USA) 5

Corticosterone differentially regulates *bax*, *bcl-2* and *bcl-x* mRNA levels in the rat hippocampus
S.P. Cárdenas, C. Parra, J. Bravo, P. Morales, H.E. Lara, M. Herrera-Marschitz, J.L. Fiedler (Chile) 9

Relationship between the activation of cyclic AMP responsive element binding protein and ischemic tolerance in the penumbra region of rat cerebral cortex
T. Nakajima, S. Iwabuchi, H. Miyazaki, Y. Okuma, O. Inanami, M. Kuwabara, Y. Nomura, K. Kawahara (Japan) 13

The caudal periaqueductal gray participates in the activation of brown adipose tissue in rats
X.-M. Chen, M. Nishi, A. Taniguchi, K. Nagashima, M. Shibata, K. Kanosue (Japan) 17

Statistical coassembly of glycine receptor α1 wildtype and the hyperekplexia mutant α1(P250T) in HEK 293 cells: impaired channel function is not dominant in the recombinant system
H.-G. Breitinger, C.-M. Becker (Germany) 21

Effects of aminoguanidine on cerebral ischemia in mice: comparison between mice with and without inducible nitric oxide synthase gene
K. Sugimoto, C. Iadecola (USA) 25

Beta electroencephalograph changes during passive movements: sensory afferences contribute to beta event-related desynchronization in humans
M. Alegre, A. Labarga, I.G. Gurtubay, J. Iriarte, A. Malanda, J. Artieda (Spain) 29

Effect of 3-[1-(phenylmethyl)-4-piperidinyl]-1-(2,3,4,5-tetrahydro-1H-1-benzazepin-8-yl)-1-propanone fumarate, a novel acetylcholinesterase inhibitor, on spatial cognitive impairment induced by chronic cerebral hypoperfusion in rats
A.J. Xu, Z. Chen, K. Yanai, Y.W. Huang, E.Q. Wei (People's Republic of China, Japan) 33

Morphology of physiologically identified otolith-related vestibular neurons in cats
H. Meng, H. Sato, M. Imagawa, M. Zakir, S. Ono, K. Kushiro, X. Zhang, R. Bai, Y. Uchino (Japan) 37

Early enucleation does not alter the gross morphology of identified projection neurons in the chicken optic tectum
H. Luksch, A. Poll (Germany) 41

Distinguishing visuospatial working memory and complex mental calculation areas within the parietal lobes
L. Zago, N. Tzourio-Mazoyer (France) 45

Somatotopic mapping of the human primary sensorimotor cortex during motor imagery and motor execution by functional magnetic resonance imaging
C. Stippich, H. Ochmann, K. Sartor (Germany) 50

Betanodavirus as a novel transneuronal tracer for fish
T. Ikenaga, Y. Tatecho, T. Nakai, K. Uematsu (Japan) 55

Possible association between genetic variability at the apolipoprotein(a) locus and Alzheimer's disease in apolipoprotein E2 carriers
D. Compton, F. Wavrant DeVriéze, R.C. Petersen, E. Tangalos, L. Li, J. Hardy (USA, UK) 60

Decreased level of kynurenic acid in cerebrospinal fluid of relapsing-onset multiple sclerosis patients
K. Rejdak, H. Bartosik-Psujek, B. Dobosz, T. Kocki, P. Grieb, G. Giovannoni, W.A. Turski, Z. Stelmasiak (Poland, UK) 63

No reduction with ageing of the number of myenteric neurons in benzalkonium chloride treated rats
S.B. Garcia, M.M.P. Demarzo, W.S. Vinhadeli, M.A. Llorach-Velludo, J. Zoteli, C.F.P.S. Herrero, S. Zucoloto (Brazil) 66

Erratum 69

Volume 331, no. 2

Presynaptic kainate receptors play different physiological roles in mossy fiber and associational-commissural synapses in CA3 of hippocampus from adult rats
Z. Ji, U. Stäubli (USA) 71
Coupling phenomena during asynchronous submaximal two-hand, multi-finger force production tasks in humans
S. Li, F. Danion, V.M. Zatsiorsky, M.L. Latash (USA) 75
Molecular determinant of Na,1.8 sodium channel resistance to the venom from the scorpion Leiurus quinquestriatus hebraeus
C.Y. Saab, T.R. Cummins, S.D. Dib-Hajj, S.G. Waxman (USA) 79
17β-Estradiol reduces excitatory postsynaptic potential (EPSP) amplitude in rat basolateral amygdala neurons
M.D. Womble, J.A. Andrew, J.J. Crook (USA) 83
Aminergic receptors in astrogliotic plaques from patients with multiple sclerosis
E. Zeinstra, P. te Riele, X. Langlois, N. Wilczak, J. Leysen, J. De Keyser (Netherlands, Belgium) 87
Context modulates processing of speech sounds in the right auditory cortex of human subjects
A. Kujala, K. Alho, S. Valle, P. Sivonen, R.J. Ilmoniemi, P. Alku, R. Näätänen (Finland) 91
Effects of nociceptin (13–17) in pain modulation at supraspinal level in mice
L.-X. Chen, Z.-Z. Wang, H. Wu, Q. Fang, Y. Chen, R. Wang (China) 95
Tripeptidyl peptidase-I is essential for the degradation of sulphated cholecystokinin-8 (CCK-8S) by mouse brain lysosomes
M.J. Warburton, F. Bernardini (UK) 99
Increased inter-spike intervals and fast after-hyperpolarization of action potentials in rat hippocampal pyramidal cells accompanied with altered calbindin immunoreactivity 10–12 months after global forebrain ischemia
D. Arabadzisz, A. Ylinen, Z. Emri (Hungary, Finland) 103
Frequency characteristics of evoked and oscillatory electroencephalic activity in a human memory scanning task
B. Schack, W. Klimesch (Germany, Austria) 107
Reversible changes of presumable synaptic connections between primary somatosensory cortex and ventral posterior lateral thalamus of rats during temporary deafferentation
S.-C. Jung, H.-C. Shin (South Korea) 111
Potentiation of Akt and suppression of caspase-9 activations by electroacupuncture after transient middle cerebral artery occlusion in rat
S.J. Wang, N. Omori, F. Li, G. Jin, W.R. Zhang, Y. Hamakawa, K. Sato, I. Nagano, M. Shoji, K. Abe (Japan, China) 115
Galanin-like peptide is co-localized with α-melanocyte stimulating hormone but not with neuropeptide Y in the rat brain
F. Takenoya, H. Funahashi, H. Matsumoto, T. Ohtaki, S. Katoh, H. Kageyama, R. Suzuki, M. Takeuchi, S. Shioda (Japan) 119
Anticonvulsant effects of four neuropeptides in the rat hippocampus during self-sustaining status epilepticus
A.M. Mazarati, C.G. Wasterlain (USA) 123
Short-term serial magnetoencephalography recordings of fetal auditory evoked responses
H. Eswaran, H. Preissl, J.D. Wilson, P. Murphy, S.E. Robinson, D. Rose, J. Vrba, C.L. Lowery (USA, Germany, Canada) 128
Magnetoencephalography evidence of semantic violations in auditory sentence comprehension by native speakers of Japanese
M. Inouchi, M. Kubota, T.P.L. Roberts (USA, Japan) 133
Neuromagnetic auditory cortex responses to duration and pitch changes in tones: cross-linguistic comparisons of human subjects in directions of acoustic changes
M. Inouchi, M. Kubota, P. Ferrari, T.P.L. Roberts (USA, Japan) 138
Corticosterone increases serotonin type-3 receptor mRNA in rat pheochromocytoma-12 cells
X. Li, P.B. DePetrillo (USA) 143

Volume 331, no. 3

Use of an adenosine triphosphate-based 'cocktail' early in reperfusion substantially improves brain protein synthesis after global ischemia in rats
M. Paskitti, K.H. Reid (USA) 147
c-*fos*-deficient mouse hippocampal CA3 pyramidal neurons exhibit both enhanced basal and kainic acid-induced excitability
W. Jin, J. Zhang, D. Lou, C. Chavkin, M. Xu (USA) 151
Muscular dystrophy with laminin deficiency decreases the content of butyrylcholinesterase tetramers in sciatic nerves of *Lama2dy* mice
M.T. Moral-Naranjo, J. Cabezas-Herrera, C.J. Vidal, F.J. Campoy (Spain) 155
Differential amplitude modulation of auditory evoked cortical potentials associated with brain state in the freely moving rhesus monkey
S. Tian, H. Qi, J. Wang, J. Cai, Y. Ma (P.R. China) 159
Changes in human plasma levels of the brain specific oxysterol 24S-hydroxycholesterol during progression of multiple sclerosis
V. Leoni, T. Masterman, U. Diczfalusy, G. De Luca, J. Hillert, I. Björkhem (Italy, Sweden) 163
Chronic treatment with nicotine or potassium attenuates depolarisation-evoked noradrenaline release from the human neuroblastoma SH-SY5Y
A. Agis-Torres, S.G. Ball, P.F.T. Vaughan (Spain, UK) 167
Pathological relationships between microglial cell activity and tau and amyloid β protein in patients with Alzheimer's disease
A. Hayes, U. Thaker, T. Iwatsubo, S.M. Pickering-Brown, D.M.A. Mann (UK, Japan) 171

Veering in human locomotion: modulatory effect of attention
N. Vuillerme, V. Nougier, R. Camicioli (France, Canada)
Receptive field organization and response properties of visual neurons in the pigeon nucleus semilunaris 175
J. Yang, X. Li, S.-R. Wang (China)
Evidence that nerve growth factor mediates the formation of sensory pericellular baskets in the rat trigeminal ganglion 179
S.E. Shoemaker, L.G. Isaacson (USA)
Propentofylline after focal cortical lesion in the rat: impact on functional recovery and basic fibroblast growth factor expression 183
K.A. Buytaert-Hoefen, L.A. Kreber, C.J. Millar, U.T. Walsh, C. Brannigan, T.D. Hernandez (USA)
Memory dynamics: distance between the new task and existing behavioural patterns affects learning and interference in bimanual coordination 188
in humans
V. Kostrubiec, P.G. Zanone (France)
Modification of the monoaminergic neurotransmitters in frontal cortex and hippocampus by dietary *trans* α-linolenic acid in piglets 193
N. Acar, J.-M. Chardigny, O. Berdeaux, S. Almanza, J.-L. Sébédio (France)
Polymorphonuclear leukocyte activation induces cerebral hypoperfusion in rats in the absence of previous ischemia-reperfusion damage 198
L. Chen, E. Vicaut, R. Sercombe (France)
Melatonin prevents focal rat cerebellum injury as assessed by induction of heat shock protein (HO-1) following subarachnoid injections of lysed blood 203
F. Martinez-Cruz, A. Espinar, D. Pozo, C. Osuna, J.M. Guerrero (Spain)
Children with dyslexia and right parietal lobe dysfunction: event-related potentials in response to words and pseudowords 208
H. Wimmer, F. Hutzler, C. Wiener (Austria)

Author Index to Volume 331 211
Contents to Volume 331 214
218